



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/544,274	04/06/2000	Joseph Mulavelil George	AUS000185US1	7599	
35525 7	590 05/26/2004		EXAMINER		
DUKE W. YEE CARSTENS, YEE & CAHOON, L.L.P.			LY, A	LY, ANH	
P.O. BOX 802			ART UNIT	PAPER NUMBER	
DALLAS, TX 75380			2172	1/817	
			DATE MAILED: 05/26/2004	1601	

Please find below and/or attached an Office communication concerning this application or proceeding.

f

	· · ·		· ·		
		Application No.	Applicant(s)		
Office Action Summary		09/544,274	GEORGE, JOSEPH MULAVELIL		
		Examiner	Art Unit		
		Anh Ly	2172		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address		
THE I - Exter after - If the - If NO - Failu	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period vere to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timety. the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1)⊠	Responsive to communication(s) filed on 24 M	arch 2004.			
	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.		
Dispositi	on of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1,3-12 and 14-48 is/are pending in the 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) 1,3-12 and 14-48 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/o	wn from consideration.			
Applicati	on Papers				
9)[	The specification is objected to by the Examine	r.	•		
10)	The drawing(s) filed on is/are: a)☐ acc	epted or b) objected to by the I	Examiner.		
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).		
141	Replacement drawing sheet(s) including the correct		•		
יייי יי	The oath or declaration is objected to by the Ex	taminer. Note the attached Office	Action of form PTO-152.		
Priority L	ınder 35 U.S.C. § 119				
a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priority documents  application from the International Bureau  see the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachmen	t(s)				
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

Art Unit: 2172

### **DETAILED ACTION**

1. This Office Action is response to Applicant's Amendment and Response to Office Action filed on 03/24/2004.

2. Claims 1, 3-12 and 14-48 are pending in this Application.

## Claim Rejections - 35 USC § 112

3. Claims 20 and 46 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 20, lines 6 and claim 46, lines 7, "generating the class object" is not clear as to what class object applicant is referring. Applicant is advised to amend the claim such as clear explanation is provided to enable one having a ordinary skill in the art to make and user the claim invention. No new matter should be added.

# Claim Objections

4. Claims 14-19 are objected to because of the following informalities:

The first line of claims 14-19, "The apparatus of claim" are not clearly. They should go with the system of the claim 12. Appropriate correction is required.

Page 2

Art Unit: 2172

### Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1, 3-4, 7-12, 14-15 and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,385,618 issued to Ng et al. (hereinafter Ng) in view of Text Book: Fundamentals of Database System (Third Edition) of Ramez Elmasri and Shamkant B. Navathe from Addison-Wisley (hereinafter Elmasri-Navathe) and further in view of in view of US Patent No. 6,418,448 issued to Sarkar.

With respect to claim 1, Ng discloses determining a structure of the relational database (database schema of a relational database: col. 4, lines 23-27 and lines 35-36), wherein determining the structure of the relational database includes referring to a database meta-information class object associated with the relational database (database metadata where information of data concerning data, data definition, characteristics, relationships and external data a database of a database management system: see abstract, col. 7, lines 60-67 and col. 8, lines 1-18; also see fig. 9); the structure of the relational database as described in the meta-information class object (see fig. 5, the object-relational mapping tool is import database schema, which is containing the information of relationship objects and the class object of the database: col. 6, lines 3-67 and col. 7, lines 12-20).

Ng discloses structure of relational database and schemas of relational database. Ng does not explicitly indicate determining a delete action based on the structure of the relational database and generating database modification commands based on the determined delete action and sending the database modification commands. Elmasri-Navathe discloses active database rules and triggers as referred to as the Event-Condition-Action or ECA-model for the delete operation such as a cascade deletion, the organization or structure of the tables have to be determine to inorder to delete tuple that reference the tuple that is being deleted (see rule R4, TOTALSAL4 (page 737 and page 210). In combination, Ng and Elmasri-Navathe do not teach the relational database server in Java via JDBC interface.

However, Sarkar discloses java classes are loaded in the database server (col. 11, lines 45-55; also see col. 6, lines 7-22).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe with the teachings of Sarkar so as to obtain database server of a object relational database locating of elements inside component relational schema with Java classes (col. 6, lines 13-15). This combination would provide a relational database having database server in the Java classes as argument for the interface of JDBC with SQL in the multi-tier client/server environment (Sarkar – col. 6, lines 20-28) and it is carrying an object SQL query for execution within one or more object relational schema (Sarkar – col. 6, lines 58-65 and querying and viewing multiple object relational schema

in the large existing database system (Sarkar – col. 7, lines 10-14) in the deletion of object in the relational database environment.

With respect to claim 3, Ng in view of Elmasri-Navathe discloses a method as discusses in claim 1.

As to the limitation, "wherein the database meta-information class object encapsulates a dependency structure of the relational database," Ng in view of Elmasri-Navathe does not explicitly indicate that the object classes are encapsulated from the relational database.

However, Sarkar discloses java classes encapsulating the relational data (col. 6, lines 12-20).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe with the teachings of Sarkar so as to obtain database server of a object relational database locating of elements inside component relational schema with Java classes (col. 6, lines 13-15). This combination would provide a relational database having database server in the Java classes as argument for the interface of JDBC with SQL in the multi-tier client/server environment (Sarkar – col. 6, lines 20-28) and it is carrying an object SQL query for execution within one or more object relational schema (Sarkar – col. 6, lines 58-65 and querying and viewing multiple object relational schema in the large existing database system (Sarkar – col. 7, lines 10-14) in the deletion of object in the relational database environment.

Art Unit: 2172

With respect to claims 4 and 7, Ng discloses wherein the database meta-information class object further includes a delete action identifier for each dependent table of a plurality of tables in the relational database and wherein the database meta-information class object is generated based on a file describing the structure and delete actions for tables in the relational database (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17; also see fig. 9).

With respect to claim 8, Ng in view of Elmasri-Navathe discloses a method as discusses in claim 1.

As to the limitation, "wherein the file is an Extended Markup Language file," Ng in view of Elmasri-Navathe does not explicitly indicate that the XML file or document for metadata or constructing arbitrary types by SQL queries.

However, Sarkar discloses Extensible Markup Language (XML) (col. 5, lines 54-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe with the teachings of Sarkar so as to obtain database server of a object relational database locating of elements inside component relational schema with Java classes (col. 6, lines 13-15). This combination would provide a relational database having database server in the Java classes as argument for the interface of JDBC with SQL in the multi-tier client/server environment (Sarkar – col. 6, lines 20-28) and it is carrying an object SQL query for execution within one or more object relational schema (Sarkar – col. 6, lines 58-65 and querying and viewing multiple object relational schema

in the large existing database system (Sarkar – col. 7, lines 10-14) in the deletion of object in the relational database environment.

With respect to claims 9-11, Ng discloses wherein the file is further generated based on user input to override default delete action identifiers in the file and wherein the file is further generated based on user input to insert one or more delete constraints in the file for one or more of the tables in the relational database; and commands are SQL statements (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17; also see fig. 9; and col.7, lines 16-26).

Claim 12 is essentially the same as claim 1 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 1 hereinabove.

Claim 14 is essentially the same as claim 3 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 3 hereinabove.

Claims 15 and 17 are essentially the same as claims 4 and 7 except that they are directed to a system rather than a method, and are rejected for the same reason as applied to the claims 4 and 7 hereinabove.

Claims 18-19 are essentially the same as claims 9-10 except that they are directed to a system rather than a method, and are rejected for the same reason as applied to the claims 9-10 hereinabove.

Art Unit: 2172

7. Claims 5-6, 16 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,385,618 issued to Ng et al. (hereinafter Ng) in view of Text Book: Fundamentals of Database System (Third Edition) of Ramez Elmasri and Shamkant B. Navathe from Addison-Wisley (hereinafter Elmasri-Navathe) and further in view of US Patent No. 6,418,448 issued to Sarkar and US Patent No. 4,947,320 issued to Crus et al. (hereinafter Crus).

With respect to claims 5-6, Ng in view of Elmasri-Navathe and Sarkar discloses a method of deleting object data from a relational database as discussed in claim 1.

As to limitation, "wherein the delete action identifier is one of cascade delete and nullify columns delete and wherein the delete action is one of cascade delete and nullify columns delete," Ng in view of Elmasri-Navathe and Sarkar does not explicitly indicate that the cascade and nullify column delete based on the relational database schema.

However, Crus discloses delete action identifier such as cascade delete, delete set null as well as nullity columns delete as claimed (col. 5, lines 3-67, col. 6, lines 1-36, col. 16, lines 60-67, col. 17, lines 1-67 and col. 18, lines 1-18).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe and Sarkar with the teachings of Crus so as to obtain a method of deleting object data from a relational database. This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records (Crus – col. 3, lines 4-15) in the deletion

of object from an object-relational system in a customizable and database independent manner environment.

Claim 16 is essentially the same as claim 5 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 5 hereinabove.

With respect to claim 45, Ng in view of Elmasri-Navathe and Sarkar discloses a method of deleting object data from a relational database as discussed in claim 43.

As to the limitation, "wherein one or more delete actions is at least one of cascade delete and nullify columns delete," Ng in view of Elmasri-Navathe and Sarkar does not explicitly indicate that the cascade and nullify column delete based on the relational database schema.

However, Crus discloses delete action identifier such as cascade delete, delete set null as well as nullity columns delete as claimed (col. 5, lines 3-67 and col. 6, lines 1-36).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe and Sarkar with the teachings of Crus so as to obtain a method of deleting object data from a relational database. This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records (Crus – col. 3, lines 4-15) in the deletion

Page 10

Application/Control Number: 09/544,274

Art Unit: 2172

of object from an object-relational system in a customizable and database independent manner environment.

8. Claims 20-21, 24, 25-26, 27-28, 31-34, 35-36, 39-42, 43 and 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,385,618 issued to Ng et al. (hereinafter Ng) in view of Text Book: Fundamentals of Database System (Third Edition) of Ramez Elmasri and Shamkant B. Navathe from Addison-Wisley (hereinafter Elmasri-Navathe).

With respect to claim 20, Ng discloses determining a structure of the relational database (col. 8, lines 64-67 and col. 9, lines 11-20; database schema of a relational database: col. 4, lines 23-27 and lines 35-36).

Ng discloses the structure of relational database based on the internal data structure, also known as database data structure, representing the schema of relational database and be enabled change such as add a column (col. 4, lines 32-45), and deletion or manipulation operation. Ng does not explicitly teach determining one or more delete actions based on the structure of the relational database and generating the class object based on the determined structure and the determined one or more delete actions.

However, Elmasri-Navathe discloses class object from the trigger will be generated based on the determined one or more delete action. If the delete action is a cascade deletion, the organization or structure of the tables have to be determine to in

order to delete tuples that reference the tuple that is being deleted (see page 737, rule R4, TOTOLSAL4 and page 210).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng with the teachings of Elmasri-Navathe so as to obtain deletion action for the structure of relational database (page 737 and page 210). This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records the deletion of object from an object-relational system in a customizable and database independent manner environment.

With respect to claims 21 and 24, Ng discloses wherein generating the class object includes encapsulating information identifying the structure of the relational database and the one or more delete actions and discloses wherein the structure of the relational database and the one or more delete actions are determined from a file describing the structure and delete actions for tables in the relational database (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17; also see fig. 9; and col. 7, lines 16-26).

With respect to claims 25-26, Ng discloses wherein the file is further generated based on user input to override default delete action identifiers in the file and wherein the file is further generated based on user input to insert one or more delete constraints in the file (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17; also see fig. 9).

Claim 27 is essentially the same as claim 20 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 20 hereinabove.

Claim 28 is essentially the same as claim 21 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 21 hereinabove.

With respect to claim 31, Ng discloses wherein the means for determining the structure of the relational database and the means for determining the one or more delete actions determine the structure and one or more delete actions from a file describing the structure and delete actions of tables in the relational database (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17).

With respect to claim 32, Ng discloses wherein the file is generated based on Java Database Connectivity (JDBC) database metadata associated with the relational database (col. 7, lines 60-67).

Claims 33-34 are essentially the same as claims 25-26 except that it is directed to a system rather than a method (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17; also see fig. 9), and is rejected for the same reason as applied to the claims 25-26 hereinabove.

Claim 35 is essentially the same as claim 20 except that it is directed to a computer product rather than a method, and is rejected for the same reason as applied to the claim 20 hereinabove.

Claim 36 is essentially the same as claim 21 except that it is directed to a computer product rather than a method, and is rejected for the same reason as applied to the claim 21 hereinabove.

Page 13

With respect to claim 39, Ng discloses wherein the means for determining the structure of the relational database and the means for determining the one or more delete actions determine the structure and one or more delete actions from a file describing the structure and delete actions of tables in the relational database (col. 3, lines 62-67 and col. 7, lines 60-67 and col. 8, lines 1-17).

Claim 40 is essentially the same as claim 32 except that it is directed to a computer product rather than an apparatus, and is rejected for the same reason as applied to the claim 32 hereinabove.

Claims 41-42 are essentially the same as claims 25-26 except that it is directed to a computer program product rather than a method, and is rejected for the same reason as applied to the claims 25-26 hereinabove.

With respect to claim 43, Ng discloses a meta-information class for determining a structure of the relational database (col. 8, lines 64-67 and col. 9, lines 11-20; database schema of a relational database: col. 4, lines 23-27 and lines 35-36).

Ng discloses the structure of relational database based on the internal data structure, also known as database data structure, representing the schema of relational database and be enabled change such as add a column (col. 4, lines 32-45), and deletion or manipulation operation. Ng does not explicitly teach one or more delete actions based on the structure of the relational database; and a database

Art Unit: 2172

meta-information generator class for generating the class object based on the determined structure and determined one or more delete actions.

However, Elmasri-Navathe discloses class object from the trigger will be generated based on the determined one or more delete action. If the delete action is a cascade deletion, the organization or structure of the tables have to be determine to in order to delete tuples that reference the tuple that is being deleted (see page 737, rule R4, TOTOLSAL4 and page 210).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng with the teachings of Elmasri-Navathe so as to obtain deletion action for the structure of relational database (page 737 and page 210). This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records the deletion of object from an object-relational system in a customizable and database independent manner environment.

With respect to claim 46, Ng discloses determining a structure of the relational database (col. 8, lines 64-67 and col. 9, lines 11-20; database schema of a relational database: col. 4, lines 23-27 and lines 35-36).

Ng discloses the structure of relational database based on the internal data structure, also known as database data structure, representing the schema of relational database and be enabled change such as add a column (col. 4, lines 32-45), and deletion or manipulation operation. Ng does not explicitly teach determining one or more

default delete actions based on the structure of the relational database; receiving user input to modify the one or more default delete actions; and generating the class object based on the determined structure, the determined one or more delete actions and the user input.

However, Elmasri-Navathe discloses class object from the trigger will be generated based on the determined one or more delete action. If the delete action is a cascade deletion, the organization or structure of the tables have to be determine to in order to delete tuples that reference the tuple that is being deleted (see page 737, rule R4, TOTOLSAL4 and page 210).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng with the teachings of Elmasri-Navathe so as to obtain deletion action for the structure of relational database (page 737 and page 210). This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records the deletion of object from an object-relational system in a customizable and database independent manner environment.

With respect to claims 47-48, Ng discloses wherein the file is further generated based on user input to override default delete action identifiers in the file and wherein the file is further generated based on user input to insert one or more delete constraints in the file for one or more of the tables in the relational database (col. 4, lines 45-67, col. 6, lines 42-64 and col. 7, lines 9-67).

Art Unit: 2172

9. Claims 22-23, 29-30 and 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,385,618 issued to Ng et al. (hereinafter Ng) in view of Text Book: Fundamentals of Database System (Third Edition) of Ramez Elmasri and Shamkant B. Navathe from Addison-Wisley (hereinafter Elmasri-Navathe) and further in view of US Patent No. 4,947,320 issued to Crus et al. (hereinafter Crus).

With respect to claims 22-23, Ng in view of Elmasri-Navathe discloses a method of deleting object data from a relational database as discussed in claim 20.

As to the limitation, "wherein the delete action identifier is one of cascade delete and nullify columns delete and wherein the delete action is one of cascade delete and nullify columns delete," Ng in view of Elmasri-Navathe does not explicitly indicate that the cascade and nullify column delete based on the relational database schema.

However, Crus discloses delete action identifier such as cascade delete, delete set null as well as nullity columns delete as claimed (col. 5, lines 3-67, col. 6, lines 1-36, col. 16, lines 60-67, col. 17, lines 1-67 and col. 18, lines 1-18).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe with the teachings of Crus so as to obtain a method of deleting object data from a relational database. This combination would provide an improved method for enforcing referential constraints. The method is useful in any database management system in which records of data are manipulated in response to operations, which may affect multiple records (Crus – col. 3, lines 4-15) in the deletion of object from an object-relational system in a customizable and database independent manner environment.

Art Unit: 2172

Claims 29-30 are essentially the same as claims 22-23 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claims 22-23 hereinabove.

Claims 37-38 are essentially the same as claims 22-23 except that it is directed to a computer program product rather than a method, and is rejected for the same reason as applied to the claims 22-23 hereinabove.

10. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over US

Patent No. 6,385,618 issued to Ng et al. (hereinafter Ng) in view of Text Book:

Fundamentals of Database System (Third Edition) of Ramez Elmasri and Shamkant B.

Navathe from Addison-Wisley (hereinafter Elmasri-Navathe) and further in view of US

Patent No. 6,418,448 issued to Sarkar.

With respect to claim 44, Ng in view of Elmasri-Navathe discloses a program product as discusses in claim 43.

As to the limitation, "wherein the database meta-information class object encapsulates a dependency structure of the relational database," Ng in view of Elmasri-Navathe does not explicitly indicate that the object classes are encapsulated from the relational database.

However, Sarkar discloses java classes encapsulating the relational data (col. 6, lines 12-20).

**Art Unit: 2172** 

Page 18

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ng in view of Elmasri-Navathe with the teachings of Sarkar so as to obtain database server of a object relational database locating of elements inside component relational schema with Java classes (col. 6, lines 13-15). This combination would provide a relational database having database server in the Java classes as argument for the interface of JDBC with SQL in the multi-tier client/server environment (Sarkar – col. 6, lines 20-28) and it is carrying an object SQL query for execution within one or more object relational schema (Sarkar – col. 6, lines 58-65 and querying and viewing multiple object relational schema in the large existing database system (Sarkar – col. 7, lines 10-14) in the deletion of object in the relational database environment.

Art Unit: 2172

### Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX y.4MONTHS from the mailing date of this final action.

#### **Contact Information**

12. Any inquiry concerning this communication should be directed to Anh Ly whose telephone number is (703) 306-4527 via E-Mail: **ANH.LY@USPTO.GOV**. The examiner can be reached on Monday - Friday from 8:00 AM to 4:00 PM.

If attempts to reach the examiner are unsuccessful, see the examiner's supervisor, John Breene, can be reached on (703) 305-9790.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to: Central Office (703) 872-9306 (Central Official Fax Number)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Fourth Floor (receptionist).

Inquiries of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-3900.

JEAN M. CORRIELUS PIMARY EXAMINER

ANH LY / MAY 14<sup>th</sup>, 2004